

? show files

[File 348] EUROPEAN PATENTS 1978-2007/ 200819

(c) 2008 European Patent Office. All rights reserved.

[File 349] PCT FULLTEXT 1979-2008/UB=20080522|UT=20080515

(c) 2008 WIPO/Thomson. All rights reserved.

; d s

Set Items Description

S1 27543 S (PROTECT? OR ENCRYPT? OR CRYPTO? OR CRYPTANALY? OR CIPHER? OR CYPHER? OR ENCIPHER? OR SCRAMBL? OR DECRYPT? OR DECIPHER? OR UNENCRYPT? OR UNSCRAMBL? OR KEY? ?)(3N)(TIME? ? OR TIMING OR TIMESTAMP? ? OR CLOCK??? OR INTERVAL? ?)

S2 2541 S S1(5N)(GROUP? ? OR COLLECTION? ? OR MULTIPLE? ? OR MANIFOLD OR NUMEROUS OR MULTIPL? OR MULTITUDE OR SEVERAL OR MANY OR PLURAL? OR VARIET? OR RANGE? ? OR ASSORT???? OR DIVERSE)

S3 37 S S2(5N)(LEVEL? ? OR BRANCH? ? OR SEGMENT? ?)

S4 2 S S3(3N)(REQUEST? OR TRIGGER? OR INSTRUCTION? ? OR DIRECTIVE? ? OR COMMAND? ? OR OPERATION? ? OR FUNCTION? ? OR ALGORITHM)

S5 286898 S (LOWER OR UPPER OR FIRST)(2N)(LIMIT? ? OR LIMITATION? ? OR LEVEL? ? OR BOUND? OR CONSTRAIN? OR CAP OR CAPS OR CUTOFF? ? OR CUT()OFF? ? OR THRESHOLD? ?)

S6 4 S S3(100N)S5

S7 23 S S3 AND S5

S8 4 S S3(100N)S5

?



## Subject summary

? t /3,k/all

8/3K/1 (Item 1 from file: 348) [Links](#)

EUROPEAN PATENTS

(c) 2008 European Patent Office. All rights reserved.

01608755

CDMA RECEPTION APPARATUS AND BASE STATION THEREOF

CDMA-EMPFANGSVORRICHTUNG UND BASISSTATION DAVON

DISPOSITIF DE RECEPTION AMRC ET STATION DE BASE ASSOCIEE

Patent Assignee:

● NEC Corporation; (236697)

7-1, Shiba 5-chome; Minato-ku, Tokyo 108-8001; (JP)

(Applicant designated States: all)

Inventor:

● HIRADE, Sei, c/o NEC Corporation

7-1, Shiba 5-chome, Minato-ku; Tokyo 108-8001; (JP)

Legal Representative:

● Betten &amp; Resch (101033)

Patentanwalte, Theatinerstrasse 8; 80333 Munchen; (DE)

	Country	Number	Kind	Date	
Patent	EP	1450496	A1	20040825	(Basic)
	EP	1450496	A1	20040825	
	WO	2003044976		20030530	
Application	EP	2002783597		20021121	
	WO	2002JP12208		20021121	
Priorities	JP	2001356678		20011121	

Designated States:

DE; FR; GB; IT;

Extended Designated States:

AL; LT; LV; MK; RO; SI;

International Patent Class (V7): H04B-001/707; H04Q-007/38 Abstract Word Count: 174

NOTE: 5

NOTE: Figure number on first page: 5

Type	Pub. Date	Kind	Text
------	-----------	------	------

Publication: English

Procedural: English

Application: Japanese

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200435	4613
SPEC A	(English)	200435	12124
Total Word Count (Document A) 16737			
Total Word Count (Document B) 0			
Total Word Count (All Documents) 16737			

Specification: ...from the protection paths. Each specific protection path has a path timing in a predetermined range from the path timing of the another protection path and has a path level that is lower than a threshold specified based on the path level of the another protection path.

In the CDMA reception... ..the specific protection paths include protection paths, each having a path timing in a predetermined range from the path timing of the another protection path and having a path level that is lower than a threshold specified based on the path level of the another protection path, and protection paths, each having a path timing in a predetermined range from the path timing of the another protection path, having a path level that is higher than a threshold specified based on the path level of the another... ..from the protection paths. Each specific protection path has a path timing in a predetermined range from the path timing of the another protection path and has a path level that is lower than a threshold specified based on the path level of the another protection path.

In the method for... ..the specific protection paths include protection paths, each having a path timing in a predetermined range from the path timing of the another protection path and having a path level that is lower than a threshold specified based on the path level of the another protection path, and protection paths, each having a path timing in a predetermined range from the path timing of the another protection path, having a path level that is higher than a threshold specified based on the path level of the another... ..from the protection paths, each specific protection path having a path timing in a predetermined range from the path timing of the another protection path and having a path level that is lower than a threshold specified based on the path level of the another protection path.

In the base station... ..the specific protection paths include protection paths, each having a path timing in a predetermined range from the path timing of the another protection path and having a path level that is lower than a threshold specified based on the path level of the another protection path, and protection paths, each having a path timing in a

predetermined range from the path timing of the another protection path, having a path level that is higher than a threshold specified based on the path level of the another...

8/3K/2 (Item 2 from file: 348) [Links](#)

EUROPEAN PATENTS

(c) 2008 European Patent Office. All rights reserved.  
00290342

Automatic heating apparatus.

Automatischer Heizapparat.

Appareil de chauffage automatique.

Patent Assignee:

● MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.; (216883)

1006, Oaza Kadoma; Kadoma-shi, Osaka-fu, 571; (JP)

(applicant designated states: DE;FR;GB;IT;SE)

Inventor:

● Kasai, Isao

1-18-205, Nishimachi Tsurumai; Nara-shi Nara-ken; (JP)

Legal Representative:

● Eisenfuhr, Speiser & Partner (100151)

Martinistrasse 24; D-28195 Bremen; (DE)

	Country	Number	Kind	Date	
Patent	EP	289000	A2	19881102	(Basic)
	EP	289000	A3	19890503	
	EP	289000	B1	19930825	
Application	EP	88106758		19880427	
Priorities	JP	87106631		19870430	
	JP	87180466		19870720	

Designated States:

DE; FR; GB; IT; SE;

International Patent Class (V7): H05B-006/68; F24C-007/02; F24C-007/08; Abstract Word Count: 150

Type	Pub. Date	Kind	Text
------	-----------	------	------

Publication: English

Procedural: English

Application: English

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	371
CLAIMS B	(German)	EPBBF1	331
CLAIMS B	(French)	EPBBF1	421
SPEC B	(English)	EPBBF1	4272
Total Word Count (Document A) 0			
Total Word Count (Document B) 5395			
Total Word Count (All Documents) 5395			

Specification: ...gas sensor from an initial value V by a level (DELTA)g or by a level (DELTA)h.

With a change by the level (DELTA)h observed at the time point Tw, the food to be heated is judged to be the cold food group, and the food...

8/3K/3 (Item 1 from file: 349) [Links](#)

PCT FULLTEXT

(c) 2008 WIPO/Thomson. All rights reserved.

01313061

METHOD FOR AT LEAST PARTIALLY COMPENSATING FOR ERRORS IN INK DOT PLACEMENT DUE TO ERRONEOUS ROTATIONAL DISPLACEMENT

PROCEDE POUR LA COMPENSATION AU MOINS PARTIELLE D'ERREURS DANS LE PLACEMENT POINTS D'ENCRE DUES A UN DEPLACEMENT ROTATIONNEL ERRONE

Patent Applicant/Patent Assignee:

● SILVERBROOK RESEARCH PTY LTD; 393 Darling Street, Balmain, New South Wales 2041

AU; AU(Residence); AU(Nationality)

(For all designated states except: US)

● WALMSLEY Simon Robert Walmsley; Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041

AU; AU(Residence); AU(Nationality)  
(Designated only for: US)

● SILVERBROOK Kia; Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041  
AU; AU(Residence); AU(Nationality)  
(Designated only for: US)

● JACKSON PULVER Mark; Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041  
AU; AU(Residence); AU(Nationality)  
(Designated only for: US)

● SHEAHAN John Robert; Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041  
AU; AU(Residence); AU(Nationality)  
(Designated only for: US)

● PLUNKETT Richard Thomas; Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041  
AU; AU(Residence); AU(Nationality)  
(Designated only for: US)

● WEBB Michael John; Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041  
AU; AU(Residence); AU(Nationality)  
(Designated only for: US)

● MORPHETT Benjamin David; Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041  
AU; AU(Residence); AU(Nationality)  
(Designated only for: US)  
Patent Applicant/Inventor:

● WALMSLEY Simon Robert Walmsley  
Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041; AU; AU(Residence); AU(Nationality);  
(Designated only for: US)

● SILVERBROOK Kia  
Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041; AU; AU(Residence); AU(Nationality);  
(Designated only for: US)

● JACKSON PULVER Mark  
Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041; AU; AU(Residence); AU(Nationality);  
(Designated only for: US)

● SHEAHAN John Robert  
Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041; AU; AU(Residence); AU(Nationality);  
(Designated only for: US)

● PLUNKETT Richard Thomas  
Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041; AU; AU(Residence); AU(Nationality);  
(Designated only for: US)

● WEBB Michael John  
Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041; AU; AU(Residence); AU(Nationality);  
(Designated only for: US)

● MORPHETT Benjamin David  
Silverbrook Research Pty Ltd, 393 Darling Street, Balmain, New South Wales 2041; AU; AU(Residence); AU(Nationality);  
(Designated only for: US)

	Country	Number	Kind	Date
Patent	WO	2005120835	A1	20051222
Application	WO	2004AU706		20040527
Priorities	WO	2004AU706		20040527

Designated States: (All protection types applied unless otherwise stated - for applications 2004+)

AE; AG; AL; AM; AT; AU; AZ; BA; BB; BG;  
BR; BW; BY; BZ; CA; CH; CN; CO; CR; CU;  
CZ; DE; DK; DM; DZ; EC; EE; EG; ES; FI;  
GB; GD; GE; GH; GM; HR; HU; ID; IL; IN;  
IS; JP; KE; KG; KP; KR; KZ; LC; LK; LR;  
LS; LT; LU; LV; MA; MD; MG; MK; MN; MW;  
MX; MZ; NA; NI; NO; NZ; OM; PG; PH; PL;  
PT; RO; RU; SC; SD; SE; SG; SK; SL; SY;  
TJ; TM; TN; TR; TT; TZ; UA; UG; US; UZ;  
VC; VN; YU; ZA; ZM; ZW;  
[EP] AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES;  
FI; FR; GB; GR; HU; IE; IT; LU; MC; NL;  
PL; PT; RO; SE; SI; SK; TR;  
[OA] BF; BJ; CF; CG; CI; CM; GA; GN; GQ; GW;  
ML; MR; NE; SN; TD; TG;  
[AP] BW; GH; GM; KE; LS; MW; MZ; NA; SD; SL;

SZ; TZ; UG; ZM; ZW;  
[EA] AM; AZ; BY; KG; KZ; MD; RU; TJ; TM;

Publication Language: English  
Filing Language: English  
Fulltext word count: 618378

Claims:

...compressed. The page header defines the resolution and size of the target page. The bi-level and contone layers are clipped to the target page if necessary. This happens whenever the bi-level or contone scale factors are not factors of the target page width or height. The... ..at (landscape or portrait mode). The fixed tag data is also provided. The contone, bi-level and tag layer parameters define the page size and the scale factors.

8.2.2...the buffer fill level has reached the IN transfer threshold value set in INSNREGOI.In Threshold. During an OUT transfer, the host controller will not begin transferring the USB data from its internal packet buffer to the USB until the buffer fill level has reached the OUT transfer threshold value set in 17VSNREGO]. OutThreshold. NOTE: It is recommended to set IMNREGOOutYhreshold to a value...without any gaps in the DRAM byte addresses, even if some OUT packets are not multiples of 32 bytes.10 13 4.2 Circular buffer read operationDMA reads operate...

8/3K/4 (Item 2 from file: 349) [Links](#)

PCT FULLTEXT

(c) 2008 WIPO/Thomson. All rights reserved.

01006987

A NOVEL PHARMACEUTICAL COMPOUND CONTAINING ABACAVIR SULFATE AND METHODS OF MAKING AND USING SAME

NOUVEAU COMPOSE PHARMACEUTIQUE CONTENANT DU SULFATE D'ABACAVIR ET PROCEDES DE FABRICATION ET D'UTILISATION ASSOCIES

Patent Applicant/Patent Assignee:

- NEW RIVER PHARMACEUTICALS INC; The Governor Tyler, 1902 Downey Street, Radford, VA 24060  
US; US(Residence); US(Nationality)  
(For all designated states except: US)

- PICARIELLO Thomas; 203 Murphy Street, N.E., Blacksburg, VA 24060  
US; US(Residence); US(Nationality)

Patent Applicant/Inventor:

- PICARIELLO Thomas  
203 Murphy Street, N.E., Blacksburg, VA 24060; US; US(Residence); US(Nationality);  
Legal Representative:

- SCHULMAN Robert M(et al)(agent)

Intellectual Property Department, Hunton & Williams, 1900 K Street, N.W., Suite 1200, Washington, DC 20006-1109; US;

	Country	Number	Kind	Date
Patent	WO	200334980	A2	20030501
Application	WO	2001US43089		20011114
Priorities	US	2000274622		20001114
	US	2000247621		20001114
	US	2000247620		20001114
	US	2000247595		20001114
	US	2000247594		20001114
	US	2000247635		20001114
	US	2000247634		20001114
	US	2000247606		20001114
	US	2000247607		20001114
	US	2000247608		20001114
	US	2000247609		20001114
	US	2000247610		20001114
	US	2000247611		20001114
	US	2000247702		20001114
	US	2000247701		20001114
	US	2000247700		20001114
	US	2000247699		20001114
	US	2000247698		20001114
	US	2000247807		20001114
	US	2000247833		20001114
	US	2000247832		20001114
	US	2000247927		20001114
	US	2000247926		20001114

US	2000247930	20001114
US	2000247929	20001114
US	2000247928	20001114
US	2000247797	20001114
US	2000247805	20001114
US	2000247804	20001114
US	2000247803	20001114
US	2000247802	20001114
US	2000247801	20001114
US	2000247800	20001114
US	2000247799	20001114
US	2000247798	20001114
US	2000247561	20001114
US	2000247560	20001114
US	2000247559	20001114
US	2000247558	20001114
US	2000247556	20001114
US	2000247612	20001114
US	2000247613	20001114
US	2000247614	20001114
US	2000247615	20001114
US	2000247616	20001114
US	2000247617	20001114
US	2000247633	20001114
US	2000247632	20001114
US	2000247631	20001114
US	2000247630	20001114
US	2000247629	20001114
US	2000247719	20001114
US	2000247718	20001114
US	2000247717	20001114
US	2000247716	20001114
US	2000247754	20001114
US	2000247753	20001114
US	2000247752	20001114
US	2000247751	20001114
US	2000247750	20001114
US	2000247749	20001114
US	2000247748	20001114
US	2000247747	20001114
US	2000247796	20001114
US	2000247815	20001114
US	2000247814	20001114
US	2000247813	20001114
US	2000247812	20001114
US	2000247811	20001114
US	2000247810	20001114
US	2000247809	20001114
US	2000247808	20001114
US	2000247885	20001114
US	2000247884	20001114
US	2000247883	20001114
US	2000247882	20001114
US	2000247881	20001114
US	2000247880	20001114
US	2000247879	20001114
US	2000247878	20001114
US	2000247826	20001114
US	2000247835	20001114
US	2000247834	20001114
US	2000247897	20001114
US	2000247896	20001114
US	2000247895	20001114
US	2000247894	20001114
US	2000247901	20001114

US	2000247900	20001114
US	2000247899	20001114
US	2000247898	20001114
US	2000247903	20001114
US	2000247902	20001114
US	2000247919	20001114
US	2000247918	20001114
US	2000247917	20001114
US	2000247916	20001114
US	2000247915	20001114
US	2000247914	20001114
US	2000247913	20001114
US	2000247912	20001114
US	2000247911	20001114
US	2000247910	20001114
US	2000247877	20001114
US	2000247876	20001114
US	2000247707	20001114
US	2000247706	20001114
US	2000247705	20001114
US	2000247704	20001114
US	2000247703	20001114
US	2000247692	20001114
US	2000247691	20001114
US	2000247690	20001114
US	2000247689	20001114
US	2000247688	20001114
US	2000247687	20001114
US	2000247686	20001114
US	2000247685	20001114
US	2000247684	20001114
US	2000247683	20001114
US	2000247694	20001114
US	2000247693	20001114
US	2000247712	20001114
US	2000247711	20001114
US	2000247710	20001114
US	2000247709	20001114
US	2000247708	20001114
US	2000247697	20001114
US	2000247696	20001114
US	2000247695	20001114
US	2000247565	20001114
US	2000247564	20001114
US	2000247545	20001114
US	2000247546	20001114
US	2000247547	20001114
US	2000247548	20001114
US	2000247568	20001114
US	2000247570	20001114
US	2000247580	20001114
US	2000247555	20001114
US	2000247554	20001114
US	2000247553	20001114
US	2000247552	20001114
US	2000247551	20001114
US	2000247682	20001114
US	2000247681	20001114
US	2000247680	20001114
US	2000247679	20001114
US	2000247678	20001114
US	2000247677	20001114
US	2000247676	20001114
US	2000247655	20001114
US	2000247645	20001114



US	2000247656	20001114
US	2000247628	20001114
US	2000247627	20001114
US	2000247626	20001114
US	2000247625	20001114
US	2000247624	20001114
US	2000247806	20001114
US	2000247695	20001114
US	2000247794	20001114
US	2000247793	20001114
US	2000247792	20001114
US	2000247791	20001114
US	2000247790	20001114
US	2000247789	20001114
US	2000247788	20001114
US	2000247787	20001114
US	2000247786	20001114
US	2000247785	20001114
US	2000247784	20001114
US	2000247783	20001114
US	2000247782	20001114
US	2000247781	20001114
US	2000247780	20001114
US	2000247779	20001114
US	2000247778	20001114
US	2000247777	20001114
US	2000247776	20001114
US	2000247775	20001114
US	2000247774	20001114
US	2000247773	20001114
US	2000247772	20001114
US	2000247771	20001114
US	2000247770	20001114
US	2000247769	20001114
US	2000247768	20001114
US	2000247767	20001114
US	2000247766	20001114
US	2000247871	20001114
US	2000247872	20001114
US	2000247873	20001114
US	2000247874	20001114
US	2000247875	20001114
US	2000247981	20001114
US	2000247982	20001114
US	2000247983	20001114
US	2000247984	20001114
US	2000247745	20001114
US	2000247744	20001114
US	2000247743	20001114
US	2000247742	20001114
US	2000247623	20001114
US	2000247985	20001114
US	2000247840	20001114
US	2000247839	20001114
US	2000247838	20001114
US	2000247837	20001114
US	2000247836	20001114
US	2000247889	20001114
US	2000247890	20001114
US	2000247891	20001114
US	2000247892	20001114
US	2000247893	20001114
US	2000247741	20001114
US	2000247740	20001114
US	2000247739	20001114

US	2000247738	20001114
US	2000247737	20001114
US	2000247736	20001114
US	2000247735	20001114
US	2000247734	20001114
US	2000247733	20001114
US	2000247732	20001114
US	2000247731	20001114
US	2000247730	20001114
US	2000247728	20001114
US	2000247729	20001114
US	2000247727	20001114
US	2000247726	20001114
US	2000247761	20001114
US	2000247760	20001114
US	2000247759	20001114
US	2000247758	20001114
US	2000247757	20001114
US	2000247756	20001114
US	2000247765	20001114
US	2000247764	20001114
US	2000247763	20001114
US	2000247762	20001114
US	2000247755	20001114
US	2000247746	20001114
US	2000247725	20001114
US	2000247724	20001114
US	2000247723	20001114
US	2000247722	20001114
US	2000247721	20001114
US	2000247720	20001114

Designated States: (All protection types applied unless otherwise stated - for applications 2004+)

[EP] AT; BE; CH; CY; DE; DK; ES; FI; FR; GB;  
 GR; IE; IT; LU; MC; NL; PT; SE; TR;  
 [OA] BF; BJ; CF; CG; CI; CM; GA; GN; GQ; GW;  
 ML; MR; NE; SN; TD; TG;  
 [AP] GH; GM; KE; LS; MW; MZ; SD; SL; SZ; TZ;  
 UG; ZW;  
 [EA] AM; AZ; BY; KG; KZ; MD; RU; TJ; TM;

Publication Language: English

Filing Language: English

Fulltext word count: 1363212

Claims:

...release of the drug and, as such, are not used for oral administration. Examples of timed and targeted release of injectable or subcutaneous pharmaceuticals include: linking of norethindrone, via a hydroxypropyl...of helices, pleated sheets and turns. The protein's amino acid sequence and the structural constraints on the conformations of the chain determine the spatial arrangement of the molecule. The folding...mainly limited to the colon. As compared to dextran, this invention has two major advantages. First, peptides are hydrolyzed by any one of several aminopeptidases found in the intestinal lumen or...

?